
Q1.The diagram below shows the human digestive system.



(a) Label the stomach and pancreas on the diagram.

(1)

(b) Many people suffer from stomach ulcers caused by a species of bacteria called *Helicobacter pylori*.

The stomach is lined with a protective lining of mucus.

Helicobacter pylori are acid-tolerant bacteria which can damage this mucus lining.

Suggest how an infection with *Helicobacter pylori* might result in a stomach ulcer developing.

 	 	• • • • • • • • • • • • • • • • • • • •

(2)

(c)	Helicobacter pylori can also cause stomach cancer.	
	Describe how a person infected with <i>Helicobacter pylori</i> could also develop liver cancer.	
		(3
(d)	Gluten is a form of protein found in some grains.	
	Describe the test you would use to find out if protein is present in food.	
		(2
(e)	Coeliac disease is a disease of the digestive system.	
	It damages the lining of the small intestine when foods that contain gluten are eaten.	
	 When people with coeliac disease eat foods that contain gluten: their immune system forms antibodies to gluten these antibodies attack the lining of the small intestine this causes inflammation in the intestines and damages the villi. 	
	Symptoms of coeliac disease include poor growth.	
	Suggest why a person with coeliac disease might have this symptom.	

		,	
(4)			
ıl 12 marks)	(Total		
ao,	(10tal		

Q2.	Т	he concentration	of cholesterol in the blood affects people's health.	
(a			that affect the concentration of cholesterol in the blood.	
·		1		
		2		(2)
(b	o)		ed men for blood cholesterol concentration.	
		The doctors then causes in this so	compared death rates from heart disease with deaths from all reened group.	
		The graph shows	s the results.	
		Deaths per year per thousand screened males	dis	eart sease causes
		(i) Which is th	ne best conclusion that can be drawn from the data?	
		Tick (√) o	ne box.	
		positive correlatio n all causes.	n between blood cholesterol concentration and	
		negative correlations from all causes.	on between blood cholesterol concentration	
		esterol concentrat all causes.	tion is only one of several factors affecting	

(1)

(ii)	Based on the data in the gracholesterol concentration?	aph only , which is the id	leal range for blood	
	Range	to	mg cholesterol per litre.)
			(Total 4 marks)

(a) Wh	at is a drug?	
<i>"</i> . 5		
. ,		ılar diseases with statins or aspirin.
Info	rmation about these two drugs is g	liven in the table.
	STATINS	ASPIRIN
Statins a	are only available on prescription ctors.	Aspirin can be bought over the count Treatment with aspirin costs up to £1 per year.
monitor over sev	veral years. Statins were found to the rate of non-fatal heart attacks	In a study of 1000 patients, aspirin w found to cause bleeding of the stoma in around 0.5% of patients and there a slightly increased risk of poor blood clotting at cuts.
suffered	mately 0.1% of the patients I serious muscle damage and suffered kidney failure.	There was a slightly increased risk or damage to the blood vessels in the bin older patients.
builds u The cos can vary year, de	reduce blood cholesterol which p in the walls of blood vessels. It of treating patients with statins by between £150 and £500 per spending on the type of ascular disease being treated.	Aspirin was found to reduce the risk non-fatal heart attacks by 31%.
	uld you recommend statins or aspi eases?	rin for the treatment of cardiovascular
In y	our answer you should:	
_	give your recommendation	
•		

(1)

 (5)
(Total 6 marks)


Q4.The pancreas and the liver are both involved in the control of the concentration of glucose in the blood.

The liver has two veins:

- the hepatic portal vein taking blood from the small intestine to the liver
- the hepatic vein taking blood from the liver back towards the heart.

Scientists measured the concentration of glucose in samples of blood taken from the hepatic portal vein and the hepatic vein. The samples were taken 1 hour and 6 hours after a meal.

Graph 1 shows the concentration of glucose in the two blood vessels 1 hour after the meal.




The concentration of glucose in the blood of the two vessels is different. Explain why.

(a)

(1)

(b) **Graph 2** shows the concentration of glucose in the two blood vessels 6 hours after the meal.

Graph 2



Blood vessel

(i) The concentration of glucose in the blood in the hepatic portal vein 1 hour after the meal is different from the concentration after 6 hours.

vvny?				

(ii) The person does **not** eat any more food during the next 6 hours after the meal.

However, 6 hours after the meal, the concentration of glucose in the blood in the

hepatic vein is higher than the concentration of glucose in the blood in the hepatic

portal vein.

Explain why.

	•••••	 	 	 •••••	•••••	
(3)						
(3) 7 marks)	(Total					
,	,					

Q5. Fresh milk is a mixture of compounds including lipid, protein and about 5% lactose sugar.

Lactose must be digested by the enzyme lactase, before the products can be absorbed.

Lactase can be added to fresh milk to pre-digest the lactose. This makes 'lactose-free' milk, which is suitable for people who do not produce enough lactase of their own.

A student investigated the effect of changing pH and temperature on the digestion of lactose in milk.

The results are shown in **Tables 1** and **2**.

Table 1 Effect of pH

рН	Time taken to digest lactose in minutes
4.0	20
5.0	18
6.0	13
7.0	7
8.0	5
9.0	6

Table 2
Effect of temperature

Temperature in °C	Time taken to digest lactose in minutes
25	20
30	14
35	11
40	6
45	29
50	No digestion

(2)

/ \	T			•	'11 ((
(a)	The label or	n a carton	OT IDCTOCA	_traa i	MIIK ETATAE:
lai	THE IADEL OF	ı a carton	UI IACIUSE	-11661	HIIIN SIGICS.

'Lactase is normally produced in the stomach of mammals.'

The results in **Table 1** suggest that this statement is **not** true.


Explain how.	

(b) Explain, as fully as you can, the results shown in Table 2.

		(3)
		(0)
(c)	Bile is produced in the liver and is released into the small intestine.	
	Bile helps the digestion of lipid in the milk.	
	Describe how.	
		(2)
		(2) (Total 7 marks)

Q6.Diagram 1 shows a cell from the pancreas.

Diagram 2 shows part of the cell seen under an electron microscope.



Part **A** is where most of the reactions of aerobic respiration happen.

- - (iii) Part A uses oxygen.

	Explain how oxygen passes from the blood to part A .	
		(3)
(b)	The pancreas cell makes enzymes.	
	Enzymes are proteins.	
	Describe how the ribosomes and part A help the cell to make enzymes.	
	((3) Total 9 marks)


Q7.LDL is one form of cholesterol found in the blood.

People with a high concentration of LDL in their blood may be treated with drugs called statins.

A high concentration of LDL cholesterol in the blood may result in an increased risk of heart and circulatory diseases.

The graph shows the effects of the treatment of one person with four different statins, **A**, **B**, **C** and **D**, over a period of 8 years. The arrows show when each new treatment was started.

Each treatment was continued until the next treatment was started.




rculatory diseases for triis person.	

 	 		 		 	(Total 4 marks)
 •••••	 •		 	• • • • • • • • • • • • • • • • • • • •	 	
 	 	• • • • • • • • • • • • • • • • • • • •	 		 	

Q8.Figure 1 shows a model representing the human breathing system.

The different parts of the model represent different parts of the human breathing system.




(a)	(i)	Which part of the human breathing system does the flexible rubber sheet represent?	
			(1)
	(ii)	Explain why the balloons inflate when the flexible rubber sheet is pulled down.	
			(3)
(b)	(i)	During breathing, oxygen moves into the blood.	
		Explain how oxygen moves into the blood.	

	(2)

(ii) Figure 2 shows a fish head and gill.

Figure 2



Fish absorb oxygen from the water. Oxygen is absorbed through the gills of the fish.

Explain one way in which the gills are adapted for rapid absorption of oxygen.	
) (Total 8 mark	(2) (s)