


Exampro GCSE Biology B2.1 Cells Foundation tier Class: Author: Date: Time: 81 Marks: 81 Comments:

Q1.	fatall	Diabetes is a disease in which the concentration of glucose in a person's blood may rise to ally high levels. Julin controls the concentration of glucose in the blood.						
	(a)	Whe	Where is insulin produced?					
		Drav	w a ring around one answ	er.				
			gall bladder	liver	pancreas	(1)		
	(b)	Peo	ple with diabetes may con	trol their blood glucose	by injecting insulin.	()		
		(i)	If insulin is taken by mouth, it is digested in the stomach.					
			What type of substance	is insulin?				
			Draw a ring around one	answer.				
			carbohydrate	fat	protein	(1)		
		(ii)	Apart from using insulin, blood glucose.	give one other way ped	ople with diabetes may reduce their			
						(1)		

(c) The bar chart shows the number of people with diabetes in different age groups in the UK.



(i)	Describe how the number of males with diabetes changes between the ages of 0 – 44 years and 75 years and over.

(3)

(ii)	Compare the number of r	males and females with	diabetes:		
	between the ages of 0 an	nd 64 years			
	over the age of 65 years.				
				··· (Total 8 m	(2) narks)
The in	nage below shows some co	ells in the lining of the s	stomach.		
(i)	N Use words from the box to	ducleus to name structures A ar	AB		
	cell membrane	chloroplast	cytoplasm	vacuole	
	A				
	В				
					(2)
(ii)	What is the function of the	e nucleus?			
	Tick (✓) one box.				
	To control the activities o	of the cell			
	To control movement of	substances into and ou	t of the cell		
	To release energy in resp	piration			,
					(1)

Q2.

(a)


(b) Draw **one** line from each part of the human body to its correct scientific name. Scientific name Part of human body An organ Layer of cells lining the stomach An organism Stomach An organ system Mouth, stomach, intestines, liver and pancreas A tissue (3) (Total 6 marks) The image below shows some cells in the lining of the stomach. Nucleus Use words from the box to name structures A and B. (a) chloroplast cell membrane cytoplasm vacuole

Q3.

(2)

	(ii)	What is the function of the nuc	leus?			
		Tick (✓) one box.				
		To control the activities of the	cell			
	To control movement of substances into and out of the cell					
		To release energy in respiration	on			
						(1)
(b)	Drav	w one line from each part of the	human body to its	correct scientific	name.	
		Part of human body		Scientific na	ame	
				An organ		
	La	yer of cells lining the stomach				
				An organis	m	
		Stomach				
				An organ sys	tem	
		Mouth, stomach, intestines, liver and pancreas				
				A tissue		
			1			(3) (Total 6 marks)

Q4. The diagrams show four types of cell, **A**, **B**, **C** and **D**. Two of the cells are plant cells and two are animal cells.




(c) Cells A, B, C and D all use oxygen.

For what process do cells use oxygen?

Draw a ring around **one** answer.

osmosis photosynthesis respiration
(1)
(Total 5 marks)

Q5. The diagram shows some of the stages in IVF (in vitro fertilisation).



(a) Use words from the box to name structures A, B, C and D.

	egg	embryo	fertilised egg	ovary	sperm
	Structure A				
	Structure B				
	Structure C				
	Structure D				(4)
(b)	What do doctor	rs do next with struc	cture D ?		(4)
					(2)

The table gives statistics for an IVF clinic.

	Age of women treated				
	Below 35 years	35 – 37 years	38 – 39 years	40 – 42 years	
Number of women treated	414	207	106	53	
Number of women who produced one baby	90	43	17	1	
Number of women who produced twins	24	8	4	1	
Number of women who produced triplets	1	0	0	0	


(i)	About what proportion of the treated women aged 35 – 37 years produced one or
	more babies?

Draw a ring around your answer.

	one quarter	one third	half	(1)
(ii)	This clinic does not give	ve IVF treatment to	women over 42 years of age.	
	Use data from the table	e to explain why.		
				(2)
(iii)	The committee which rused in each treatmen		nent now advises that only one embryo is	
	Suggest one reason for	or this.		
			(Total 10	(1) marks)

Q6. The diagram shows a cell.

(b)



(a) (i) Use words from the box to name the structures labelled ${\bf A}$ and ${\bf B}$.

	cell membrane	chloroplast	cytoplasm	nucleus
	A			
	В			(2
(ii)	The cell in the diagram is ar	n animal cell.		
	How can you tell it is an ani	mal cell and not a	plant cell?	
	Give two reasons.			
	1			
	2			
				(2
Охус	gen will diffuse into the cell in	the diagram.		
Why	?			
Use	information from the diagran	٦.		

(1)

		an organ.		
Scienti	ists call a group of similar cells	a system.		
		a tissue.		
			•	(1) (Total 6 marks)
Q7. The diag	rams show a cheek cell from a h	numan and a leaf ce	ell from a plant.	
	0			
	0 0	fo a o	200	
		3		
(0		00000	-00	
0				
Che	ek cell	Leaf cell		
(a) The tw	o cells have a number of parts i	n common.		
(i) C	On the cheek cell, label three of	these parts which be	oth cells have.	(2)
(;;) In	the table with the names of the	o thure nowto you h		(3)
	n the table, write the names of the ne main function of each part.	e triree parts you na	ave labelled above and	a describe
	Part	Fur	nction	

The cell shown in the diagram is usually found with similar cells.

Draw a ring around the correct answer to complete the sentence.

(c)

(3)


(b)	Blood contains white cells and red cells. State the function of each type of cell in the blood.
	White cells
	Red cells
	(2) (Total 8 marks)

Q8. Some students investigated the effect of pH on the digestion of boiled egg white by an enzyme called pepsin. Egg white contains protein.

The students:

- put a glass tube containing boiled egg white into a test tube
- added a solution containing pepsin at pH 7
- set up six more tubes with solutions of pepsin at different pH values
- left the test tubes for 24 hours at room temperature.

The image below shows one of the test tubes, at the start and at the end of the 24 hours.



(a) (i) Name the product of protein digestion.

(1)

	(ii)	What type of enzyme digests protein?					
		Tick (✔) or	ne box.				
		amylase					
		lipase					
		protease					
(b)	The The	egg white in table below s	each tube was shows the stud	T	(1)		
			рН	Length in mm of boiled egg white after 24 hours			
			1	38			
			2	20			
			3	34			
			4	45			
			5	50			
			6	50			
			7	50			
	(i)	At which ph	I did the pepsir	work best?			
	(-)			рН			
				·	(1)		
	(ii)	The answer best.	you gave in pa	art (b)(i) may not be the exact pH at which pepsin works			
		What could	the students of	lo to find a more accurate value for this pH?			
					(2)		


		(iii)	There was no change in the length of the egg white from pH 5 to pH 7.	
			Explain why.	
				(2)
	(c)	Pep	osin is made by the stomach.	
		Nam	me the acid made by the stomach which allows pepsin to work well.	
				(1)
			(Т	otal 8 marks)
Q9.		(a)	Balance the following equation for photosynthesis.	
			$ CO2 + H2O \rightarrow C6H12O6 +O2$	
			2 6 12 6	(1)
	(b)		e two conditions necessary for photosynthesis apart from a suitable temperature the availability of water and carbon dioxide.	range
		1		
		2		(2)
	(-)	Dis		
	(a)		nts have leaves which contain guard cells and palisade cells. Explain how each c se kinds of cell assists photosynthesis.	Л
		Gua	ard cells	
				(2)
		Pali	i sade cells	(2)
		· an		
		•••••		
				(2)

(0		Glucose is a product of photosynthesis. Give three uses which green plants make of glucose.						
		1						
	:	2						
	;	3						
					(Total 10	(3) marks)		
Q10.	T	he diagram shows a se	ection through a plant le	af.				
({	a)	Use words from the box to name two tissues in the leaf that transport substances around						
		the plant.				\neg		
		epidermis	mesophyll	phloem	xylem			
			and .			(1)		
(l	b)		the leaf and the surrou	nding air.				
	((i) What is diffusion?						
						(2)		

- (ii) Name **one** gas that will diffuse from point **A** to point **B** on the diagram on a sunny day.

 (1)


 (Total 4 marks)
- **Q11.** The drawing shows a white blood cell ingesting a bacterium.



Label the parts of the white blood cell.

(Total 3 marks)

Q12. The drawing shows part of a root hair cell.




(a) Use words from the list to label the parts of the root hair cell.

cell membrane cell wall cytoplasm nucleus vacuole

(4)

The diagram shows four ways in which molecules may move into and out of a cell. The dots show the concentration of molecules. (b)




The cell is respiring aerobically.

				(1) (Total 7 marks)
(c)	Nan	ne the process by which these gases move in	nto and out of the cell.	
	(ii)	movement of carbon dioxide molecules?		(2)
	(i)	movement of oxygen molecules;		
	Whi	ch arrow, A, B, C or D represents:		

M1.		(a)	pancreas		
			apply list principle	1	
	(b)	(i)	protein apply list principle	1	
		(ii)	any one from:		
			 (controlling / changing) diet accept sugar(y foods) / named eg ignore references to starch / fat / protein / fibre 		
			exercise accept example, eg go for a run		
			pancreas transplant		
			accept named drug eg metformin	1	
	(c)	(i)	increase		
	()	()	ignore reference to women	1	
			then fall	1	
			relevant data quote (for male) eg max at ages 65–74 or starts at 10 (per thousand) or max at 130 (per thousand) or ends at 120 (per thousand) accept a difference between any pairs of numbers in data set accept quotes from scale eg '130' or '130 <u>per</u> thousand' but not '130 thousand'; to within accuracy of +/- 2 (per thousand)	1	
		/ii\	(hotwoon 0 and 64) more females (than males) at less males (than females)		
		(ii)	(between 0 and 64) more females (than males) or less males (than females) ignore numbers		
			allow eg females more diabetic than males	1	
			(over 65) more males (than females) or less females (than males) allow eg males more diabetic than females	1	[8]
M2.		(a)	(i) A = (cell) membrane	1	
			B = cytoplasm		
			do not accept cytoplast	1	

(ii) To control the activities of the cell



extra lines cancel

[6]

1

M3. (a) (i) A = (cell) membrane

1

3


B = cytoplasm

do **not** accept cytoplast

1

(ii) To control the activities of the cell

1



		C fertilised egg		1	
		D er	mbryo	1	
	(b)	inse	rt into mother ignore fertilise / check fertilisation / check viability	1	
		wom	nb / uterus	1	
	(c)	(i)	one quarter	1	
		(ii)	no / little chance of success over 42	1	
			reference to table of only two women in the age bracket 40-42 years became pregnant		
			the statement 'only 2 out of 53 40-42 year old women became pregnant / had babies' gains 2 marks	1	
		(iii)	so fewer twins / multiple births or		
			multiple births more dangerous	1	[10]
M6.		(a) ((i) A = nucleus	1	
			B = (cell) membrane	1	
		(ii)	any two from: ignore shape		
			no (cell) wall		
			no (large / permanent) vacuole		
			no chloroplasts / chlorophyll	2	
	(b)	beca	ause high to low oxygen / concentration or down gradient allow 'more / a lot of oxygen molecules <u>outside'</u> ignore along / across gradient	1	
	(c)	a tis	sue	1	[6]

M7. the three features correctly labelled on (a) cheek cell (which are referred to in

part (ii)

label lines should touch or end very close to part no marks if leaf cell labelled

nucleus

cytoplasm

cell membrane

mitochondrion

accept mitochondria or one of these could be labelled vacuole

3

any three from

feature function

nucleus controls cell

> accept contains genetic material or genes or chromosomes or stores information do not credit the brain of the cell

cytoplasm

where respiration

occurs

accept contains food or mitochondria

or reactions occurs

membrane chemicals

less water or

accept surrounds the cell or lets some things in but not others do not credit keeps things out or protection

in and or out

mitochondria where energy released

> ecf from leaf cell labelling accept chloroplasts make sugar or glucose accept vacuole contains sap accept if cell wall mis labelled on cheek cell, support or hold together

> > 3

	(b) fight or ingest or kill bacteria or germs or viruses or microbes				
			accept produce antitoxins or antibodies fight disease (organisms)		
			do not credit fungus		
				1	
			ansport) oxygen or carry		
		nae	emoglobin		
			accept transport carbon dioxide or helps form scabs	1	
					[8]
M8.		(a)	(i) amino acid(s)		
			accept peptide(s)		
			do not allow polypeptide(s)		1
					1
		(ii)	protease		
		` ,			1
	(b)	(i)	2		1
					•
		(ii)	repeat		
		. ,	do not allow other enzyme / substrate		
					1
			using amallar pH intervals between pH4 and pH2		
			using smaller pH intervals between pH1 and pH3		
			allow smaller intervals on both sides of / around pH2 allow smaller intervals on both sides of / around answer to (b)(i)		
			allow strialler intervals on both sides of 7 around answer to (b)(i)		1
		(iii)	enzyme / pepsin denatured / shape changed		
			do not allow enzyme killed		
			allow enzyme 'destroyed'		
					1
			enzyme / pepsin no longer fits (substrate)		
			allow enzyme / pepsin does not work		
					1
	(c)	hyc	Irochloric (acid)		
			allow phonetic spelling		
			accept HCl		
			allow HCL		
			ignore hcl		
			do not allow incorrect formula –e.g. H ₂ CI / HCl ₂		
					1 [8]
					6-3

M9. (a) 666 all required accept a '6n 6 n n 6n' version of the balanced equation provided it is correct in every detail (b) any two of (presence of) chlorophyll or (amount of) chloroplasts accept green leaves (or other green parts) (sufficient) light (intensity) (light) of a suitable wavelength any light other than green light do not credit Sun's energy or sunshine or Sun guard cells (c) any two of * control by osmosis * the movement of gases accept movement of carbon dioxide or oxygen or water vapour beware movement of CO, out accept a diagram or description * through the stoma palisade cells

any two of

- * near the upper surface
- * contain (a great) many or more chloroplasts
- * (so) contain the most chlorophyll

2

2

1

2

* for respiration * conversion to (insoluble) starch or to food store or to (other)carbohydrates * (conversion to) sucrose **or** to food store **or** to (other) carbohydrates or polysaccharides do not credit just to grow or live or survive accept conversion to food store **or** to (other) carbohydrates once only * (conversion to) lipids or fats or oils * (conversion to) amino acids or (plant) proteins or auxins or (plant) hormones or enzymes 3 [10] M10. (a) xylem and phloem either order allow words ringed in box allow mis-spelling if unambiguous 1 (b) (i) movement / spreading out of particles / molecules / ions / atoms ignore names of substances / 'gases' 1 from high to low concentration accept down concentration gradient ignore 'along' / 'across' gradient ignore 'with' gradient 1 (ii) oxygen / water (vapour) allow O₂ / O2 ignore O²/O allow H₂O / H2O ignore HO [4]

(d)

any three of

	(cell nucl		nbrane	Э		
				all correctly labelled each for 1 mark		[3]
M12.		cyto	(cell) wall ll) membrane oplasm uole for 1 mark each			
	(b)	(i) (ii)	A B			
				for 1 mark each	2	
	(c)	diffu	ısion	(reject osmosis) for 1 mark	1	[7]

M11.

cytoplasm reject protoplasm