Q1. Scientists investigated how exercise affects blood flow to different organs in the body.

The scientists made measurements of blood flow to different organs of:

- a person resting in a room at 20°C
- the same person, in the same room, doing vigorous exercise at constant speed on an exercise cycle.

The table shows the scientists' results.

Organ	Blood flow in cm ³ per minute whilst		
	resting	doing vigorous exercise	
Brain	750	750	
Heart	250	1000	
Muscles	1200	22 000	
Skin	500	600	
Other	3100	650	

(a)	In this investigation, it was better to do the exercise indoors on an exercise cycle
	than to go cycling outdoors on the road.

Suggest **two** reasons why.

Do not include safety reasons.
1
2

(2)

(b)	Blood flow to one organ did not change between resting and vigorous exercise.
	Which organ?

(c)	(i)	How much more blood flowed to the muscles during vigorous exercise than when resting?	
		Answer = cm³ per minute	(2)
	<i>(</i> 11)		
	(ii)	Name two substances needed in larger amounts by the muscles during vigorous exercise than when resting.	
		1	
		2	
			(2)
	(iii)	Tick (\checkmark) one box to complete the sentence.	
		The substances you named in part (c)(ii) helped the muscles to	
		make more lactic acid.	
		make mere lactic acid.	
		respire aerobically.	
		make more glycogen.	(4)
			(1)
	(iv)	The higher rate of blood flow to the muscles during exercise removed larger	
		amounts of waste products made by the muscles.	


amounts during vigorous exercise?

Which **two** substances need to be removed from the muscles in larger

	Tick (✓) two boxes.		
	Amino acids		
	Carbon dioxide		
	Glycogen		
	Lactic acid		(2)
(d)	The total blood flow was mu	uch higher during exercise than when resting.	
	One way to increase the tot of blood each beat.	al blood flow is for the heart to pump out a larger volume	
	Give one other way to incre	ase the blood flow.	
		(Total 11 mari	(1) ks)

Q2. An athlete did a 6-month training programme.

The graph shows the effect of the same amount of exercise on his heart rate before and after the training programme.




(a) (i) What was the maximum heart rate of the athlete during exercise before the training programme?

..... beats per minute


(1)

(ii) Give **two** differences between the heart rate of the athlete before and after the training programme.

	After the training programme	
	Difference 1	
	Difference 2	
		(2)
	ich two substances need to be supplied to the muscles in larger amounts during roise?	
Tick	(✓) two boxes.	
Carbon dioxide		
Glucose		
Lactic acid		
Oxygen		
Urea		
	(Total 5 ma	(2) arks)



Q4. The diagrams show four types of cell, **A**, **B**, **C** and **D**. Two of the cells are plant cells and two are animal cells.



(a) (i) Which two of the cells are plant cells?Tick (✓) one box.

A and B	
A and D	
C and D	

(1)

		(ii) W	/hich part	is found on	ly in plant o	cells?			
		Di	raw a rinç	g around on e	e answer.				
cell m	embi	rane		cell wall		nucleus			
									(1)
(b) (i)	Wh	ich cell	ABC	or D , is adap	ted for swi	mmina?			
(5) (1)	••••	,	71, 2, 0	5. 2 , 15 adap		······································			(4)
									(1)
(ii) \	Which	cell, A,	B, C or I	D , can produ	ice glucose	by photos	synthesi	s?	
									(1)
((c)	Cells A	, B , C an	d D all use o	xygen.				
		For wha	at process	s do cells us	e oxygen?				
		Draw a	ring arou	nd one ansv	ver.				
osmo	sis		ph	otosynthesi	is	respiratio	n		
									(1) (Total 5 marks)

Q5. Muscles need energy during exercise.

Draw a ring around the correct answer in parts (a) and (b) to complete each sentence.

(a) (i) The substance stored in the muscles and used during exercise is

glycogen.

actic acid.

protein.

(1)

(ii) The process that releases energy in muscles is

digestion.

respiration.

transpiration.

(1)

(b) The table shows how much energy is used by two men of different masses when swimming at different speeds.

Speed of swimming in metres per minute	Energy used in kJ per hour			
metres per minute	34 kg man	70 kg man		
25	651	1155		
50	1134	2103		

(i) When the 34 kg man swims at 50 metres per minute instead of at 25 metres per minute,

the extra energy he uses each hour is

36 kJ.


483 kJ.

948 kJ.

(1)


	(ii)	When swimming at 50 metres per minute, each man when swimming at 25 metres per minute.	n's heart rate is faster than
A faster he	eart ra	carbon te helps to supply the muscles with more glycoge oxygen	
			(1)
(iii) Dur	ing the	e exercise the arteries supplying the muscles would	constrict. dilate. pump harder. (1)
(c)	Whe	n a person starts to swim, the breathing rate increase	es.
	Give	one way in which this increase helps the swimmer.	
			(1) (Total 6 marks)

Q6. The diagram shows a plant cell from a leaf.



(a) **List A** gives the names of three parts of the cell.**List B** gives the functions of parts of the cell.

Draw a line from each part of the cell in List A to its function in List B.



(b) Respiration takes place in the cell.

Draw a ring around the correct answer to complete the sentence.

(3)

All cells use respiration to release oxygen.

sugar.

(1) (Total 4 marks) **Q7.**The photograph shows an athlete at the start of a race.



© Wavebreakmedia Ltd./Thinkstock

- (a) The athlete's sense organs contain special cells.

 These special cells detect changes in the environment.
 - (i) **List A** shows changes in the environment.

List B shows some of the athlete's sense organs.

Draw **one** line from each change in the environment in **List A** to the sense organ detecting the change in **List B**.


List A Change in the environment	List B Sense organ
	Ear
Sight of the finishing line	
	Nose
Sound of the starting gun	
	Eye
Pressure of the ground on the fingers	
	Skin

(3)

(ii)	Which cells detect changes in the	e environment?	
	Tick (√) one box.		
	Gland cells		
	Muscle cells		
	Receptor cells		
Du		ugar in the athlete's blood decreases	
Wh	ıy?		
Wh 	me athletes use anabolic steroids to		
Wh 		improve performance.	
Wh	me athletes use anabolic steroids to	improve performance.	
Wh	me athletes use anabolic steroids to	improve performance.	
Wh	me athletes use anabolic steroids to Draw a ring around the correct ar	o improve performance. Inswer to complete the sentence. Inswer to breathing rate.	
Wh	me athletes use anabolic steroids to Draw a ring around the correct ar	o improve performance. Inswer to complete the sentence. Inswer to complete the sentence. Inswer to complete the sentence.	
Wh	me athletes use anabolic steroids to Draw a ring around the correct ar	b improve performance. Inswer to complete the sentence. breathing rate. growth of muscles. heart rate.	

Q8.The mould *Penicillium* can be grown in a fermenter. *Penicillium* produces the antibiotic penicillin.

The graph shows changes that occurred in a fermenter during the production of penicillin.



(a) During which time period was penicillin produced most quickly?Draw a ring around one answer.


0 – 20 hours 40 – 60 hours 80 – 100 hours

(1)

(b) (i) Describe how the concentration of glucose in the fermenter changes between 0 and 30 hours.

			(To	(1) tal 6 marks)
	distillation	filtration	respiration	
	Draw a ring around one answer.			
(iii)	What is the name of the process	that uses gluco	se?	
				(2)
	The oxygen concentration chan concentration.	ges more than	the glucose	
	The oxygen concentration chan	ges less than th	ne glucose concentration.	
	The oxygen concentration chan	ges before the	glucose concentration.	
	The oxygen concentration chan	ges after the gli	ucose concentration.	
	Tick (✓) two boxes.			
(ii)	How does the change in the con with the change in concentration			npare
				(2)

Q9.The diagram shows one type of biogas generator.



(a) With this type of biogas generator, the concentration of solids that are fed into the reactor must be kept very low.

Suggest one reason for this.

Tick (✓) one box.


A higher concentration contains too little oxygen.

A higher concentration would be difficult to stir.

A higher concentration contains too much carbon dioxide.

(b) The pie chart shows the percentages of the different gases found in the biogas.

(1)



Gas **X** is the main fuel gas found in the biogas.

(i) What is the name of gas **X**?

Draw a ring around **one** answer.

methane

nitrogen

oxygen

(c) If the biogas generator is not airtight, the biogas contains a much higher percentage of carbon dioxide.

Draw a ring around **one** answer in each part of this question.

(i) The air that leaks in will increase the rate of anaerobic respiration.

fermentation.


(1)

(ii) The process in part (c)(i) occurs because the air contains

ammonia.
nitrogen.
oxygen.

(1) (Total 6 marks)

Q10.The diagrams show four types of cell, **A**, **B**, **C** and **D**. Two of the cells are plant cells and two are animal cells.



(a) (i) Which **two** of the cells are plant cells?

Tick (✓) one box.

A and **B**

A and D

C and D

(1)

(ii) Give **one** reason for your answer.

.....

					(1)
(b)	(i)	Which cell, A , E	3 , C or D , is adapted for sw	vimming?	(1)
	(ii)	Which cell, A , B	, C or D , can produce gluc	cose by photosynthesis	s? (1)
(c)	Cel	ls A , B , C and D a	ll use oxygen.		
	For	what process do	cells use oxygen?		
	Drav	w a ring around o ı	1e answer.		
	O	osmosis	photosynthesis	respiration	
					(1) (Total 5 marks)

M1. (a) methane is produced

ignore bad smell

1

which is a greenhouse gas / causes global warming

1

(b) (9.80 / 0.20 = 49 therefore) 49:1

1

(c) horse (manure)

allow ecf from 11.2

closest to 25:1 (ratio)

1

(d) Level 3 (5–6 marks):

A detailed and coherent explanation is given, which logically links how carbon is released from dead leaves and how carbon is taken up by a plant then used in growth.

Level 2 (3-4 marks):

A description of how carbon is released from dead leaves and how carbon is taken up

by a plant, with attempts at relevant explanation, but linking is not clear.

Level 1 (1-2 marks):

Simple statements are made, but no attempt to link to explanations.

0 marks:

No relevant content.

Indicative content

statements:

- (carbon compounds in) dead leaves are broken down by microorganisms / decomposers / bacteria / fungi
- photosynthesis uses carbon dioxide

explanations:

(microorganisms) respire

- (and) release the carbon from the leaves as carbon dioxide
- plants take in the carbon dioxide released to use in photosynthesis to produce glucose

use of carbon in growth:

- glucose produced in photosynthesis is used to make amino acids / proteins / cellulose
- (which are) required for the growth of new leaves

6

(e) any **three** from:

(storage conditions)

- (at) higher temperature / hotter
- (had) more oxygen
- (had) more water / moisture
- (contained) more microorganisms (that cause decay)

allow reference to bacteria / fungi / mould

[13]

3

M2. (a) **A** lung (i) 1 **B** rib 1 C diaphragm 1 D alveolus / alveoli 1 (ii) (B moves) up(wards) / out / up and out 1 (C moves) down(wards) / flattens do **not** allow inwards ignore outwards if neither mark gained allow 1 mark for correct reference to muscle contraction 1 (b) (i) 1640 1 1440 1 1720 allow max 1 for 3 correct values using of bottom of piston: 1380 + 1180 + 1480 to 1485 1 (ii) 1600 correct answer gains 2 marks if answer incorrect allow 1 mark for evidence of $(1640 + 1440 + 1720) \div 3$ allow ecf from (b)(i) allow use of two numbers divided by two if one is considered anomalous: (1640 + 1720)= 1680 2 for 2 marks

2

(c)	two	groups of students – one group sports activity participants, other not allow students as a group	1	
	fair te	est eg groups same height / same mass / same sex	1	
		sure air breathed in by each student / repeat previous experiment then late mean for group	1	
(d)	poin (in)	ter remains still after breathing / cylinder will move down after breathing	1	
	error	reading volume less likely allow more accurate / reliable	1	
(e)	(i)	operator squeezes bag air forced / pushed into lungs	1	
		or positive pressure ventilator	1	
	(ii)	 air pressure / volume not regulated operator will tire / must be present <u>at all times</u> / variable intervals too much / too little air allow may 'overbreathe' the patient 	2	[20]

M3.	(a)	Α			
				no mark - can be specified in reason part	
				if B given - no marks throughout	
				if unspecified + 2 good reasons = 1 mark	
		high	ı(er) pı	ressure in A	
				allow opposite for B	
				do not accept 'zero pressure' for B	
		puls	e / de	scribed in A	
				accept fluctuates / 'changes'	
				allow reference to beats / beating	
				ignore reference to artery pumping	2
					2
	(b)	(i)	17		
	(5)	(.)	••		1
		(ii)	68		
				accept correct answer from student's (b)(i) × 4	1
					-
	(c)	oxy	gen / d	oxygenated blood	
				allow adrenaline	
				ignore air	
		gluc	ose/	sugar	
				extra wrong answer cancels - eg sucrose / starch / glycogen	
				/ glucagon / water	
				allow fructose	
				ignore energy	

2

[6]

ignore food

M4.	(a)	anaerobic respiration					
			allow phonetic spelling	1			
	(b)	(i)	4.4 4.2, 4.3, 4.5 or 4.6 with figures in tolerance (6.7 to 6.9 and 2.3 to 2.5) and correct working gains 2 marks 4.2, 4.3, 4.5 or 4.6 with no working shown or correct working with one reading out of tolerance gains 1 mark correct readings from graph in the ranges of 6.7 to 6.9 and 2.3 to 2.5 but no answer / wrong answer gains 1 mark	2			
		(ii)	more energy is needed / used / released do not allow energy production (at 14 km per hour) ignore work				
			not enough oxygen (can be taken in / can be supplied to muscles) allow reference to oxygen debt do not allow less / no oxygen	1			
			so more <u>anaerobic</u> respiration (to supply the extra energy) or more glucose changed to lactic acid allow not enough aerobic respiration				

1

[6]

M5.	(a) 6	6H₂O		
			in the correct order	1	
		C₅H₁	$I_{12}O_{6}$		
				1	
	(b)	(i)	control		
			do not accept 'control variable'		
			allow: to show the effect of the organisms		
			or		
			to allow comparison		
			or		
			to show the indicator doesn't change on its own	1	
		(ii)	snail respires		
				1	
			releases CO ₂	1	
		(iii)	turno vollow	•	
		(111)	turns yellow	1	
			plant can't photosynthesise so CO₂ not used up		
				1	
			but the snail (and plant) still respires so CO ₂ produced	1	
					[8]

1)	An airtight compost heap causes anaerobic decay.						
	Explain why the (gardener might	be against produci	ng compost using this metho			
)	The gardener fin	ds this research	on the Internet:				
	'A carbon to nit	rogen ratio of 2	25:1 will produce	fertile compost.'			
	Look at the table below.						
	Type of material to compost	Mass of carbon in sample in g	Mass of nitrogen in sample in g	Carbon:nitrogen ratio			
	Chicken manure	8.75	1.25	7:1			
	Horse manure	10.00	0.50	20:1			
	Peat moss	9.80	0.20	X			
	Determine the ratio X in the table above.						
	Ratio						
)	Which type of ma		le above would be	best for the gardener to use			
	Justify your answer.						

		(1)
(d)	Some of the leaves from the gardener's strawberry plant die.	
	The dead leaves fall off the strawberry plant onto the ground.	
	The carbon in the dead leaves is recycled through the carbon cycle.	
	Explain how the carbon is recycled into the growth of new leaves.	
		(6)
		. ,

- (e) The diagram below shows two strawberries.
 - Both strawberries were picked from the same strawberry plant.
 - Both strawberries were picked 3 days ago.
 - The strawberries were stored in different conditions.

Strawberry A

Strawberry B






A @ sarahdoow/iStock/Thinkstock, B @ Mariusz Vlack/iStock/Thinkstock

Give three possible reasons that may have caused strawberry A to decay.
1
2
3
(3) (Total 13 marks)

Q2.(a) **Diagram 1** shows part of the breathing system.

Diagram 1



(i) Use words from the box to name the parts labelled **A**, **B**, **C** and **D**.

alveolus diaphragm	lung	rib	trachea
--------------------	------	-----	---------

Λ				
_	 	 	 	

(4)

(2)

(ii) Parts **B** and **C** move when we breathe **in**.


Part **B** moves

Part C moves


(b) A student used the apparatus shown in **Diagram 2** to measure the maximum volume of air that he could breathe in one breath.
 When the student breathes in, the piston moves upwards.

The piston moves back down after the student has breathed out.

Diagram 2



The student breathes in through the apparatus three times. The drawings show the position of the piston after each of the three breaths. The volumes are measured in cm³.



(i) Read the volume of each breath and write the volume in the table.

		Volume in cm ³						
						(3)		
	(ii)	Calculate the mean	n volume of air breath	ed in.				
		Mean volume of a	ir breathed in =	cm) ³	(2)		
(c)		n sports not take part.						
	Describe briefly how the student could use the same apparatus to do the investigation.							

Breath 1

Breath 2

Breath 3

(3)

(d) **Photograph 1** shows a different piece of apparatus used to measure the volume of air that a person can breathe in one breath.

Photograph 1



© Digital Vision/Photodisc

When the student breathes out through the apparatus the pointer on the scale moves. The pointer stays in the same position when the student has finished.

Explain one advantage, apart from size, of using this apparatus rather than apparatus described in part (b) .							

(2)

(e) **Photograph 2** shows one type of mechanical ventilator.

Photograph 2




© Emine Donmaz/iStock

(i)	Use information from Photograph 2 to suggest how this type of ventilator works.				
		(2)			
(ii)	Use information from Photograph 2 to suggest two disadvantages of this type of ventilator.				
	1				
	2				
	(Total 20 ma	(2) ks)			

Q3.The heart pumps the blood around the body. This causes blood to leave the heart at high pressure.

The graph shows blood pressure measurements for a person at rest. The blood pressure was measured in an artery and in a vein.



(a) Which blood vessel, **A** or **B**, is the artery?

Blood vessel
Give two reasons for your answer.
Reason 1
Reason 2

			(2)
(b)	Use	information from the graph to answer these questions.	
	(i)	How many times did the heart beat in 15 seconds?	(1)
	(ii)	Use your answer from part (b)(i) to calculate the person's heart rate per minute.	
		Heart rate = beats per minute	(1)
(c)	Duri	ng exercise, the heart rate increases.	
	The	increased heart rate supplies useful substances to the muscles at a faster rate.	
		ne two useful substances that must be supplied to the muscles at a faster rate ng exercise.	
	1		
	2		(2)
		(Total 6 ma	(2) (rks

Q4.Figure 1 shows an athlete running on a treadmill.

Figure 1



© Starush/istock/Thinkstock

After running for several minutes, the athlete's leg muscles began to ache. This ache was caused by a high concentration of lactic acid in the muscles.

(a) The equation shows how lactic acid is made.

glucose — lactic acid (+ energy)

Name the process that makes lactic acid in the athlete's muscles.

(1)

(b) Scientists investigated the production of lactic acid by an athlete running at different speeds.


In the investigation:

- the athlete ran on the treadmill at 4 km per hour
- the scientists measured the concentration of lactic acid in the athlete's blood after 2 minutes of running.

The investigation was repeated for different running speeds.

Figure 2 shows the scientists' results.

Figure 2



(i)	How much more lactic acid was there in the athlete's blood when he ran at 14
. ,	km per hour than when he ran at 8 km per hour?

.....

Answer = mmol per dm³

(2)

(ii) Why is more lactic acid made in the muscles when running at 14 km per hour than when running at 8 km per hour?

.....

.....

 -
 •
(3)
(Total 6 marks)
(Total 6 marks)

Q5.Photosynthesis needs light.

(a) Complete the **balanced symbol** equation for photosynthesis.

(b) A green chemical indicator shows changes in the concentration of carbon dioxide (CO₂) in a solution.

The indicator solution is **green** when the concentration of CO₂ is normal.

The indicator solution turns **yellow** when the concentration of CO₂ is high.

The indicator solution turns **blue** when the concentration of CO₂ is very low or when there is no CO₂.

The indicator solution does not harm aquatic organisms.

Students investigated the balance of respiration and photosynthesis using an aquatic snail and some pondweed.

The students set up four tubes, **A**, **B**, **C** and **D**, as shown in the table below.

The colour change in each tube, after 24 hours in the light, is recorded.

Tube A	Tube B	Tube C	Tube D
	13.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4		1000000000000000000000000000000000000
Indicator solution only	Indicator solution + pondweed	Indicator solution + snail	Indicator solution + pondweed + snail
Stays green	Turns blue	Turns yellow	Stays green

(i)	What is the purpose of Tube A ?	
		(1)
(ii)	Explain why the indicator solution in Tube C turns yellow.	
		(2)
(iii)	Predict the result for Tube D if it had been placed in the dark for 24	
	hours and not in the light. Explain your prediction.	
	Prediction	
	Explanation	
		(3)
		(Total 8 marks)

M1 .(a)	(140 -	+ 240 + 380 + 450 =) 1210	1
	(b)	the local people decided to farm cattle	1
		a company starts growing plants for biofuels	1
	(c)	carbon dioxide in this order only	1
		photosynthesis	1
	(d)	animals and birds migrate because there is less food	1
		more habitats are destroyed	1
	(e)	 any one from: breeding programmes (for endangered species) regeneration (programmes) reintroduction of field margins / hedgerows awareness raising with politicians / public recycling 	

1

[8]

M2.		(a)	water		1
		оху	ygen	in this order only accept correct chemical symbols allow H ₂ O / OH ₂	1
	(b)	allo	ow light	(in / through) / need light do not accept attracts light ignore heat / moisture / carbon dioxide ignore so the plants can be seen accept the converse, ie the black plastic bag would not let light in (1)	1
		for	photos	ynthesis / make sugar / glucose so there would be no photosynthesis (1) do not allow make food unqualified	1
	(c)	Inc	crease (in leaves / new leaves) ignore growth unqualified	1
		(the	en) leve	el off or number of (new) leaves (then) stays the same	1
		nur	merical	statement eg max at 3 tablets / 5 (new) leaves should refer to one of the first two marking points for every extra tablet get 1 extra leaf = 2 marks for every extra tablet get 1 extra leaf then it levels off = 3 marks	

1

M3. (a) xylem **and** phloem

either order allow words ringed in box allow mis-spelling if unambiguous

1

(b) (i) movement / spreading out of particles / molecules / ions / atoms ignore names of substances / 'gases'

1

from high to low concentration accept down concentration gradient ignore 'along' / 'across' gradient ignore 'with' gradient

1

(ii) oxygen / water (vapour)

allow O₂ / O2

ignore O²/ O

allow H₂O / H2O

ignore H²O

[4]

1

M4.	(a)	protein

(b) (i) (more) magnesium gives more growth / more leaves / more duckweed if converse must be clear that less magnesium gives less growth

1

1

(ii) A gave highest number of leaves / plants or more than others it equals 'A' use of numbers must compare A with at least one other

or

A gave most growth / most duckweed **or** more than others allow faster / fastest / better / best growth allow more growth with nitrate / less growth without nitrate do not allow 'no' growth without nitrate

(c) (i) mark (c) as a whole

sensible method:

e.g. mass / weighing
ignore dry or fresh
allow other sensible method involving measuring eg length of
roots – ignore 'size' of roots or measure roots unqualified

1

1

(ii) corresponding explanation: *ignore accuracy*

e.g. includes roots / includes $\underline{\text{whole}}$ plant**or**leaves vary in size**or**(length / mass / surface area given in c(i)) is a continuous variable

[5]

M5.(a) oxygen

allow O₂ / O2 do **not** accept O² or O

1

(b) (i) light

1

(ii) chlorophyll

1

(iii) decrease

1

- (c) any **three** from:
 - for respiration / energy

do not accept use energy for photosynthesis

to make cellulose / starch

accept named carbohydrate other than glucose

to make lipid / fat / oil

accept fatty acid / glycerol

to make protein

accept named protein / amino acid / named amino acid

to build big molecules from small molecules / metabolism

if no other marks awarded for making molecules allow **1** mark for growth / repair / new cells

3 [7]

M6.	(a)	(i)	C and D no mark if more than one box is ticked	1	
		(ii)	any one from: do not allow if other cell parts are given in a list		
			• (have) cell wall(s)		
			• (have) vacuole(s)	1	
	(b)	(i)	A apply list principle	1	
		(ii)	D apply list principle	1	
	(c)	resp	iration apply list principle	1	[5]


M7 .(a)	chlorophyll is needed for photosynthesis	1
	light is needed for photosynthesis	1
(b)	increases	1
	levels off / reaches a maximum / remains constant / stays the same / plateaus do not allow stops / stationary / peaks allow stops increasing	1
	goes up to / reaches a maximum / levels off at (a rate of) 200 (arbitrary units) or levels off at 225 – 240 (light units) ignore references to other numerical values	1
(c)	(i) higher light intensity does not increase rate of photosynthesis accept the graph stays level (above this value) allow stops increasing allow the rate of photosynthesis stays the same (above this value)	1
	 (ii) any two from: carbon dioxide (concentration) temperature / heat (amount of) chlorophyll / chloroplasts	² [8]

M8 .(a)	(i)	in the direction of the force of gravity	1
	(ii)	against the force of gravity	1
(b)	(i)	diagram completed to show stem bending / leaning towards the window the bend / lean can be at / from any point above pot level ignore any leaves	1
	(ii)	more light (for leaves) ignore heat	1
		more photosynthesis / biomass / glucose ref to 'more' needed once only, eg 'more light for photosynthesis' = 2 marks if no other marks given allow 1 mark for 'to get light for photosynthesis'	1

[5]

M9 .(a)	(i)	LHS =	- water		
			accept H₂O do not accept H²O / H2O	1	
			RHS = oxygen accept O_2		
		(ii)	do not accept O / O² / O2 light / sunlight	1	
		()	ignore solar / sun / sunshine do not allow thermal / heat	1	
		(iii)	chloroplasts allow chlorophyll		
				1	
	(b)	(i)	20	1	
		(ii)	any one from:light (intensity)temperature.	1	
	(c)	(i)	To increase the rate of growth of the tomato plants		
	(-)	(ii)	Because it would cost more money than using 0.08%	1	
			Because it would not increase the rate of photosynthesis of the tomato	1	
			plants any further	1	[9]

Q1. The graph below shows the area of forest lost in Madagascar from 2009 to 2012.



(a) The area of forest lost each year in Madagascar increased between 2009 and 2012.

Determine the total area of forest lost from the start of 2009 to the end of 2012.

Total area of forest lost = thousand hectares

(1)

(b) What are the possible reasons for the change in the area of forest lost per year between 2009 and 2012?

Tick **two** boxes.


The local people stop growing rice

Fewer new houses are needed for the population

More trees have b	lecided to farm cattle een planted		
A company starts biofuels	growing plants for		
	t in 2012 than in 200		
	box to complete the	sentences.	1
carbon dioxide	excretion photosynthesis	nitrogen respiration	
			1
absorbed by plants	for the process of		
Deforestation can h	ave negative effects	on our ecosyste	ns.
	ave negative effects ve effects of defores	•	ns.
	•	•	ns.
What are the negati Tick two boxes.	•	station?	ms.
What are the negati Tick two boxes. Animals and birds	ve effects of defores	station?	ms.
What are the negati Tick two boxes. Animals and birds food	ve effects of defores migrate because the	station?	ms.
What are the negati Tick two boxes. Animals and birds food More habitats are	ve effects of defores migrate because the destroyed rain	station?	ms.

(2)

	(e)	Scien	tists try to re	educe the neg	ative effects of hum	nan activity on our e	cosystems.
		One v	vay is to pro	tect rare habi	tats.		
		Give ecosy	on our				
							(1) (Total 8 marks)
Q2.	(a) C	omplete the	word equatio	n for photosynthesi	S.	
-,	`	•	vords from th	-			
							٦
	chlore	ophyll	mir	nerals	oxygen	water	
		carbo	n dioxide	+	→ gluco	ose +	(2)
	(b)	Plant	s may grow	faster if they	have more carbon o	dioxide.	
		_			vater to form a solut arbon dioxide.	tion.	
					on to see what conc ranium plants.	entration of carbon	dioxide is best
		The s	tudent:				
		•	put a geran	ium plant in a	a clear plastic bag		
		•	put a dish o	containing wa	ter and one tablet ir	n the bag	
		•	sealed the	top of the baເ	j .		



The student:


- set up 5 more experiments each with water and a different number of tablets
- left all the plants in a well-lit place for four weeks.

The student used a clear plastic bag, not a black plastic bag.

Explain why.

(2)


(c) After four weeks, the student counted the number of new leaves on each plant.The graph shows his results.



Describe the effect of increasing the number of tablets dissolved in water on the number of new leaves that grew in four weeks.

 (3)
(3) (Total 7 marks)

Q3. The diagram shows a section through a plant leaf.



(a) Use words from the box to name **two** tissues in the leaf that transport substances around the plant.


epidermi	s mesophyll	phloem	xylem
		and	
(b) Gas	ses <i>diffuse</i> between the leaf a	and the surrounding air.	
(i)	What is diffusion?		

(ii) Name **one** gas that will diffuse from point **A** to point **B** on the diagram on a sunny day.

(1)

Q4.Duckweed is a plant. Duckweed grows in ponds. The leaves of duckweed float on the surface of the water and its roots hang down in the water.

The drawing shows a duckweed plant.



(a) Duckweed roots absorb nitrate ions from the water. The nitrate ions help the duckweed to grow.

Draw a ring around the correct answer to complete the sentence.

carbohydrate

Duckweed needs nitrate ions to make

fat.

protein.

(b) Some students grew duckweed plants in three different solutions of mineral ions, **A**, **B** and **C**, and in distilled water (**D**).

Table 1 shows the concentrations of mineral ions in each of **A**, **B**, **C** and **D** at the start of the investigation.

Table 1

Mineral ion Concentration of mineral io	ons
-----------------------------------------	-----

	in mg per dm ₃ at the start of the investigation					
	Α	В	С	D		
Nitrate	1000	4	4	0		
Phosphate	300	0	0	0		
Magnesium	200	84	24	0		

The students counted the number of duckweed leaves in $\bf A$, $\bf B$, $\bf C$ and $\bf D$ at the start of the investigation and after 28 days.

Table 2 shows their results.

Table 2

	A	В	С	D
Number of leaves at start	4	4	4	4
Number of leaves after 28 days	50	27	14	6

(i)	Using Table 1 and Table 2 , describe the effect of magnesium ions on the growth of duckweed.	
		(1)
(ii)	Solution A contained the highest concentration of nitrate ions.	
	One student said, 'The results show that nitrate ions are needed for the growth of duckweed.'	
	What evidence in Table 2 supports what the student said?	
		(1)

r of	unting the numbe	n of the duckweed by co	students measured the ges.	The leave	(c)	
		neasuring the growth of		(i)		
(1)						
		better than the students	Suggest why your meth	(ii)		
(1) (Total 5 marks)						
	·	hesis. ^{gy} glucose +	ne word equation for photo dioxide + water			Q5. (a)
(1)		• °				
	entence.	swer to complete each s	w a ring around the corre	Drav	(b)	
	light. osmosis. respiration.	osynthesis comes from	The energy needed for	(i)		
(1)	 -					
	nloride. nloroplast.	een pigment called	Energy is absorbed by	(ii)		

chlorophyll.

(1)

(iii) If the temperature is decreased the rate of photosynthesis will

decrease.

increase.

stay the same.

(1)

(c) Give **three** ways in which plants use the glucose made in photosynthesis.

1


2

3


.....

(Total 7 marks)

Q6.The diagrams show four types of cell, **A**, **B**, **C** and **D**. Two of the cells are plant cells and two are animal cells.



Page 11



(c) Cells A, B, C and D all use oxygen.

For what process do cells use oxygen?

Draw a ring around **one** answer.

osmosis photosynthesis respiration

(Total 5 marks)

Q7.(a) A student carried out the following investigation using a plant with variegated leaves. A variegated leaf has green and white stripes.

The student:

- left the plant in the dark for 3 days to remove the starch
- fixed two pieces of card to a leaf on the plant
- left the plant in the light for 2 days
- removed the leaf from the plant
- tested the leaf for starch.

Figure 1 shows how the two pieces of card were attached to the leaf.

Figure 1

Leaf without card Leaf with card





Figure 2 shows the same leaf after 2 days in the light. The leaf has been tested for starch.

Figure 2



Give two conclusions from this investigation.

Tick (✓) two boxes.


Carbon dioxide is needed for photosynthesis.	
Chlorophyll is needed for photosynthesis.	
Light is needed for photosynthesis.	
Water is needed for photosynthesis.	

(2)

(b) Scientists investigated the effect of light intensity on the rate of photosynthesis.

Figure 3 shows the scientists' results.

Figure 3



		should include numbers from Figure 3 in your description.	
			(3)
(c)		light intensity of 250 arbitrary units, light is not a limiting factor of tosynthesis.	
	(i)	What is the evidence for this in Figure 3?	
			(1)

(ii) Give **two** factors that could be limiting the rate of photosynthesis at a light intensity of 250 arbitrary units.


1	
2	
	(2)
	(Total 8 marks)

Q8.A student investigated growth in plants.

The student:

- planted a seed in damp soil in a plant pot
- put the plant pot in a dark cupboard.

The image below shows the result after 5 days.



- (a) Draw a ring around the correct answer to complete each sentence.
 - (i) After the 5 days, the root had grown

away from water.

in the direction of the force of gravity.

towards light.

(1)

(ii) After the 5 days, the shoot had grown


against the force of gravity.

away from light. towards water.


(1)

(b) After the plant had grown, the student put the plant pot by a window with lots of light.

The illustration below shows this.



(i) Complete the diagram below to show the appearance of the student's plant after 20 days by the window.



(1)

(ii) Explain the advantage to the plant of growing in the way that you have drawn in part **(b)(i)**.

(2) (Total 5 marks)

Q9. Photosynthesis uses carbon dioxide to make glucose.

(a) (i) Complete the equation for photosynthesis.

(ii) What type of energy does a plant use in photosynthesis?


(1)

(1)

(iii) Which part of a plant cell absorbs the energy needed for photosynthesis?

.....

(b) The graph shows the effect of the concentration of carbon dioxide on the rate of photosynthesis in tomato plants at 20 °C.



(i) What is the maximum rate of photosynthesis of the tomato plants shown in the graph?

		arbitrary units	(1			
	(ii)	At point X , carbon dioxide is not a limiting factor of photosynthesis.				
		Suggest one factor that is limiting the rate of photosynthesis at point X .				
			(1			
(c)	A fa	armer plans to grow tomatoes in a large greenhouse.				
	The	The concentration of carbon dioxide in the atmosphere is 0.04%. The farmer adds carbon dioxide to the greenhouse so that its concentration is 0.08%.				
	(i)	Why does the farmer use 0.08% carbon dioxide?				
		Tick (✓) one box.				
		To increase the rate of growth of the tomato plants				
		To increase the rate of respiration of the tomato plants				
		To increase water uptake by the tomato plants				
			(1			
	(ii)	Why does the farmer not use a concentration of carbon dioxide higher than 0.08%?				
		Tick (✓) two boxes.				
		Because it would cost more money than using 0.08%				
		Because it would decrease the temperature of the greenhouse				

Because it would not increase the rate of photosynthesis of the tomato plants any further	
Because it would increase water loss from the tomato plants	
	(2) (Total 9 marks)

M 1.	(a)	(i)	chloroplast	1
		(ii)	cell wall	1
	(b)	(i)	osmosis accept diffusion	1
		(ii)	cell wall (prevents bursting)	1
	(c)	(i)	carbon dioxide allow correct formula	1
			glucose allow sugar / starch	1
		(ii)	 any two from: light sensitive spot detects light tells flagellum to move towards light more light = more photosynthesis 	2
	(d)	(cell	l has) larger SA:volume ratio	1
		shor	t (diffusion) distance	

allow correct description

1

(diffusion) via cell membrane is sufficient / good enough

or

flow of water maintains concentration gradient

[11]

M2.	(a)	LHS	S = water	1
		RHS	S = glucose	1
	(b)	any • •	three from: (measure) temperature ignore reference to fair test to check that the temperature isn't changing rate of reaction changes with temperature temperature is a variable that needs to be controlled allow lamp gives out heat	3
	(c)	(i)	correct answer = 2 marks $\frac{(10+9+11)}{3}$ allow 1 mark for: $\frac{3}{3}$ allow 1 mark for correct calculation without removal of anomalous result ie 15	2
		(ii)	graph: allow ecf from (c)(i) label on y-axis as 'number of bubbles per minute'	1
			three points correct = 1 mark allow ± 1 mm four points correct = 2 marks line of best fit = smooth curve	2
		(iii)	as distance increases, rate decreases – pro allow yes between 20 – 40	1
			•	1

but should be a straight line / but line curves - con / not quite pro allow not between 10 - 20 if line of best fit is straight line, allow idea of poor fit

1

(d) any **four** from:

- make more profit / cost effective
- raising temp. to 25 °C makes very little difference at 0.03% CO₂
- (at 20 °C) with CO₂ at 0.1%, raises rate
- (at 20 °C with CO₂ at 0.1%) \rightarrow >3x rate / rises from 5 to 17 although 25 °C \rightarrow higher rate, cost of heating not economical
- extra light does not increase rate / already max. rate with daylight accept ref to profits c.f. costs must be favourable

[17]

M3. (a) to kill virus

or

to prevent virus spreading

1

(b) take (stem) cells from meristem

or

tissue culture

allow take cuttings

1

(c) use Benedict's solution

1

glucoses turns solution blue to orange

1

(d) Level 2 (3–4 marks):

A detailed and coherent explanation is provided. The student makes logical links between clearly identified, relevant points that explain why plants with TMV have stunted growth.

Level 1 (1-2 marks):

Simple statements are made, but not precisely. The logic is unclear.

0 marks:

No relevant content.

Indicative content

- less photosynthesis because of lack of chlorophyll
- therefore less glucose made so
- less energy released for growth
- because glucose is needed for respiration and / or
- therefore less amino acids / proteins / cellulose for growth
- because glucose is needed for making amino acids / proteins / cellulose

[8]

M4.	(a)	6H ₂ 0			
			in the correct order	1	
		C ₆ H ₁	$_{2}O_{6}$	1	
	(b)	(i)	control do not accept 'control variable' allow: to show the effect of the organisms or to allow comparison or to show the indicator doesn't change on its own		
		/::\		1	
		(ii)	snail respires	1	
			releases CO ₂	1	
		(iii)	turns yellow	1	
			plant can't photosynthesise so CO₂ not used up	1	
			but the snail (and plant) still respires so CO ₂ produced	1	[8]

M5. (a) methane is produced

ignore bad smell

1

which is a greenhouse gas / causes global warming

1

(b) (9.80 / 0.20 = 49 therefore) 49:1

1

(c) horse (manure)

allow ecf from 11.2

closest to 25:1 (ratio)

1

(d) Level 3 (5–6 marks):

A detailed and coherent explanation is given, which logically links how carbon is released from dead leaves and how carbon is taken up by a plant then used in growth.

Level 2 (3-4 marks):

A description of how carbon is released from dead leaves and how carbon is taken up

by a plant, with attempts at relevant explanation, but linking is not clear.

Level 1 (1-2 marks):

Simple statements are made, but no attempt to link to explanations.

0 marks:

No relevant content.

Indicative content

statements:

- (carbon compounds in) dead leaves are broken down by microorganisms / decomposers / bacteria / fungi
- photosynthesis uses carbon dioxide

explanations:

- (microorganisms) respire
- (and) release the carbon from the leaves as carbon dioxide
- plants take in the carbon dioxide released to use in photosynthesis to produce glucose

use of carbon in growth:

- glucose produced in photosynthesis is used to make amino acids / proteins / cellulose
- (which are) required for the growth of new leaves

6

(e) any **three** from:


(storage conditions)

- (at) higher temperature / hotter
- (had) more oxygen
- (had) more water / moisture
- (contained) more microorganisms (that cause decay)

allow reference to bacteria / fungi / mould

[13]

Q1.The diagram below shows a single-celled alga which lives in fresh water.




(a)	Which part of the cell labelled above:				
	(i)	traps light for photosynthesis			
			(1)		
	(ii)	is made of cellulose?			
			(1)		
(b)	In th	ne freshwater environment water enters the algal cell.			
	(i)	What is the name of the process by which water moves into cells?			
			(1)		
	(ii)	Give the reason why the algal cell does not burst.			

(1)

(c)	(i)	The alga can photosynthesise.	
` ,	()	Complete the word equation for photosynthesis.	
		water + + oxygen	(2)
	(ii)	The flagellum helps the cell to move through water. Scientists think that the flagellum and the light-sensitive spot work together to increase photosynthesis. Suggest how this might happen.	
			(2)
(d)	exch Expl	icellular organisms often have complex structures, such as lungs, for gas ange. ain why single-celled organisms, like algae, do not need complex structures for exchange.	
		exchange.	
		(Total 11 ma	(3) rks)


Q2.(a) Complete the equation for photosynthesis. Draw a ring around each correct answer.



(2)

Some students investigated the effect of light intensity on the rate of photosynthesis in pondweed.

The diagram shows the apparatus the students used.



The closer the lamp is to the pondweed, the more light the pondweed receives.

The students placed the lamp at different distances, **d**, from the pondweed.

They counted the number of bubbles of gas released from the pondweed in 1 minute for each distance.

(b) A thermometer was placed in the glass beaker.

Why was it important to use a thermometer in this investigation?

.....

(0)
(3)
` ,

(c) The students counted the bubbles four times at each distance and calculated the correct mean value of their results.


The table shows the students' results.

Distance	Number of bubbles per minute				
d in cm	1	2	3	4	Mean
10	52	52	54	54	53
20	49	51	48	52	50
30	32	30	27	31	30
40	30	10	9	11	

i)	Calculate the mean number of bubbles released per minute when the lamp was 40 cm from the pondweed.				
	Mean number of bubbles at 40 cm =				

(2)

- (ii) On the graph paper below, draw a graph to show the students' results:
 - add a label to the vertical axis
 - plot the **mean values** of the number of bubbles
 - draw a line of best fit.



(iii) One student concluded that the rate of photosynthesis was inversely proportional to the distance of the lamp from the plant.


Does the data support this conclusion?

Explain your	r answer.		

(d) Light intensity, temperature and concentration of carbon dioxide are factors that affect the rate of photosynthesis.

Scientists investigated the effects of these three factors on the rate of photosynthesis in tomato plants growing in a greenhouse.

The graph below shows the scientists' results.



A farmer in the UK wants to grow tomatoes commercially in a greenhouse.

The farmer read about the scientists' investigation.

During the growing season for tomatoes in the UK, natural daylight has an intensity higher than 30 000 lux.

The farmer therefore decided to use the following conditions in his greenhouse during the day:

- 20°C
- 0.1% CO₂
- no extra lighting.


Suggest why the farmer decided to use these conditions for growing the tomatoes.

You should use information from the scientists' graph in your answer.

	(4)
(Total 17 marks)

Q3. Tobacco mosaic virus (TMV) is a disease affecting plants.

The diagram below shows a leaf infected with TMV.



© Nigel Cattlin/Visuals Unlimited/Getty Images

(a)	All tools should be washed in disinfectant after using them on plants infected with TMV.				
	Suggest why.				
		(1)			
(b)	Scientists produced a single plant that contained a TMV-resistant gene.				
	Suggest how scientists can use this plant to produce many plants with the TMV-resistant gene.				
		(1)			

(c) Some plants produce fruits which contain glucose.

	Describe how you would test for the presence of glucose in fruit.	
		(2)
(d)	TMV can cause plants to produce less chlorophyll.	
	This causes leaf discoloration.	
	Explain why plants with TMV have stunted growth.	
		(4) (Total 8 marks)

Q4.Photosynthesis needs light.

(a) Complete the **balanced symbol** equation for photosynthesis.

(b) A green chemical indicator shows changes in the concentration of carbon dioxide (CO₂) in a solution.

The indicator solution is **green** when the concentration of CO₂ is normal.

The indicator solution turns **yellow** when the concentration of CO₂ is high.

The indicator solution turns **blue** when the concentration of CO₂ is very low or when there is no CO₂.

The indicator solution does not harm aquatic organisms.

Students investigated the balance of respiration and photosynthesis using an aquatic snail and some pondweed.

The students set up four tubes, **A**, **B**, **C** and **D**, as shown in the table below.

The colour change in each tube, after 24 hours in the light, is recorded.

Tube A	Tube B	Tube C	Tube D	
	13.3.4.4.4.4.4.1.4.4.4.4.4.4.4.4.4.4.4.4		THE WHITE PARTY AND THE	
Indicator solution only	Indicator solution + pondweed	Indicator solution + snail	Indicator solution + pondweed + snail	
Stays green	Turns blue	Turns yellow	Stays green	

(i) What is the purpose of **Tube A**?

		. (1)
(ii)	Explain why the indicator solution in Tube C turns yellow.	
		. (2)
(iii)	Predict the result for Tube D if it had been placed in the dark for 24 hours and not in the light.	
	Explain your prediction.	
	Prediction	
	Explanation	
		(3)
		(Total 8 marks)

)	An airtight compost heap causes anaerobic decay.						
	Explain why the o	gardener might	be against produci	ng compost using this me			
)	The gardener fine	de thie research	on the Internet:				
,	The gardener iin	us illis lesealci	i on the internet.				
	(A corbon to nit	rogen ratio of '	OF 14 will produce	fortile compact !			
		_	25:1 will produce	fertile compost.'			
	Look at the table	_	25:1 will produce Mass of	fertile compost.'			
		below.	·	fertile compost.' Carbon:nitrogen ratio			
	Type of material to	below. Mass of carbon in	Mass of nitrogen				
	Type of material to compost Chicken	Mass of carbon in sample in g	Mass of nitrogen in sample in g	Carbon:nitrogen ratio			
	Type of material to compost Chicken manure	Mass of carbon in sample in g	Mass of nitrogen in sample in g	Carbon:nitrogen ratio 7:1			
	Type of material to compost Chicken manure Horse manure Peat moss	Mass of carbon in sample in g 8.75 10.00 9.80	Mass of nitrogen in sample in g 1.25 0.50 0.20	Carbon:nitrogen ratio 7:1 20:1			
	Type of material to compost Chicken manure Horse manure	Mass of carbon in sample in g 8.75 10.00 9.80	Mass of nitrogen in sample in g 1.25 0.50 0.20	Carbon:nitrogen ratio 7:1 20:1			

(c) Which type of material in the table above would be **best** for the gardener to use to make his compost?

y your answer.	
e of the leaves from the	gardener's strawberry plant die.
dead leaves fall off the st	trawberry plant onto the ground.
carbon in the dead leave	es is recycled through the carbon cycle.
ain how the carbon is rec	cycled into the growth of new leaves.

- (e) The diagram below shows two strawberries.
 - Both strawberries were picked from the same strawberry plant.
 - Both strawberries were picked 3 days ago.
 - The strawberries were stored in different conditions.

Strawberry A

Strawberry B





A @ sarahdoow/iStock/Thinkstock, B @ Mariusz Vlack/iStock/Thinkstock

Give three possible reasons that may have caused strawberry A to decay.
1
2
3
(3) (Total 13 marks)

	M1.	(a)) an	v two	from
--	-----	-----	------	-------	------

or allow converse for outdoors

- constant speed
 - variable speed
- constant effort
 - variable terrain
- constant temperature
 - traffic conditions
 - variable temperature
 - wind (resistance)
 - rain / snow



allow pollution only if qualified by effect on body function but ignore pollution unqualified

if no other marks obtained allow variable conditions outdoors

(b) Brain

1

2

(c) (i) 20 800

correct answer with or without working gains **2** marks if answer incorrect, allow **1** mark for use of 1200 and 22 000 only

2

(ii) oxygen

apply list principle

1

do not accept other named substances eg CO2 water

		glucose / sugar allow glycogen ignore food / carbohydrate	1
	(iii)	respire aerobically	1
	(iv)	carbon dioxide	1
		lactic acid	1
(d)	incr	eased heart rate ignore adrenaline / drugs accept heart beats more but not heart pumps more	1 [11]


M2.	((a)	(i)	150	1
		(ii)	any •	two from: accept correct use of numbers accept pulse rate lower resting rate lower rate during exercise recovers faster after exercise allow a general statement about lower rate if neither of the first two points given	2
	(b)	glud	cose		1
		oxy	gen		

[5]

1

М3.	(a) microorganisms	1	
	(b) moist	1	
	(c) respiration	1	
	(d) roots	1	[4]
M4.	(a) (i) C and D	1	
	(ii) cell wall	1	
	(b) (i) A	1	
	(ii) D	1	
	(c) respiration	1	[5]

M5.	((a)	(i) glycogen	1
		(ii)	respiration	1
	(b)	(i)	483 kJ	1
		(ii)	oxygen	1
		(iii)	dilate	1
	(c)	sup or re	plies more / a lot of oxygen or removes more carbon dioxide elease more energy / faster respiration	1 [6:



1 mark for each correct line mark each line from left hand box two lines from left hand box cancels mark for that box


(b) energy

[4]

3

M6.

M7 (a)



1 mark for each line do **not** award a mark for a 'change' that has two lines

- (ii) receptor cells
- (b) used to provide (extra) energy

 allow (more) used in respiration

 allow suitable reference to muscles

 do not accept used for sweat
- (c) (i) growth of muscles
 - (ii) (these drugs have) possible side / harmful effects**or**answers that refer to 'fairness of competition' e.g. cheating

3

1

1

1

1

M8.	(a)	40 – 0	60 hours	1	
	(b)	(i)	decrease	1	
			1st slowly then faster / appropriate detail from the graph – e.g. from 7.8 to 0 / faster after 4 – 10h	1	
		(ii)	oxygen after glucose extra box ticked cancels 1 mark	1	
			oxygen less than glucose	1	
		(iii)	respiration	1	[6]

M9. (a)	a highe	er cond	centration would be difficult to stir	1	
	(b)	(i)	methane	1	
		(ii)	60 100 - (5 + 35) but incorrect answer allow 1 mark	2	
	(c)	(i)	aerobic respiration	1	
		(ii)	oxygen	1	[6]
M 1	0 .(a)	(i)	C and D no mark if more than one box is ticked	1	
		(ii)	 any one from: do not allow if other cell parts are given in a list (have) cell wall(s) (have) vacuole(s) 	1	
	(b)	(i)	A apply list principle	1	
		(ii)	D Page 10		

apply list principle

1

1

(c) respiration

apply list principle

[5]